

eRed Folder :

Add

View

Previous DocNext DocGo to Doc#First HitExam
WEE
2.5

Generate Collection

L1: Entry 1 of 1

File: EPAB

Jan 13, 1999

PUB-NO: EP000891069A2

DOCUMENT-IDENTIFIER: EP **891069** A2

TITLE: Identification of a fraudulent call with a neural network

PUBN-DATE: January 13, 1999

INVENTOR-INFORMATION:

NAME

COUNTRY

TANIGUCHI, MICHIAKI

DE

HAFT, MICHAEL

DE

TRESP, VOLKER

DE

HOLLMEN, JAAKKO

DE

ASSIGNEE-INFORMATION:

NAME

COUNTRY

SIEMENS AG

DE

APPL-NO: EP98112508

APPL-DATE: July 6, 1998

PRIORITY-DATA: DE19729630A (July 10, 1997)

INT-CL (IPC): H04M 15/00; H04M 3/42

EUR-CL (EPC): G06K009/66 ; H04M003/42 , H04M003/42 , H04M015/00

ABSTRACT:

The method involves using a statement data record resulting from a call by device of a neural network for the recognition of a fraud. The

statement data record as well as statement data records of previous calls are entered as input parameters in the neural network, and the output value of the neural network indicates a probability for the fraud. The fraud is recognized as existent if the output value oversteps a pre-citable value, and as non-existent, if the output value does not overstep the pre-citable value. The neural network is preferably trained before the input parameters are entered, by assigning an average user profile to a subscriber, adjusting the user profile through a probability model which describes the call behaviour of that subscriber in response to statement data records, and adapting the probability model by using statement data records as input parameters for a predetermined period of time.

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)